₫003

USSN 09/967,109 Attorney Docket No. 3120.00026

VERSION SHOWING MARKED CHANGES

IN THE CLAIMS:

Short (

- 1. (Previously Amended) A golf training aid for indicating a shoulder turn during a golf swing comprising attachment means for attaching a support member adjacent to a shoulder of a golfer, the support member having shoulder position indicator means projecting outwardly therefrom and forwardly relative to the golfer, said golf training aid affixable to the shoulder, whereby said training aid remains visible throughout use.
- 2. (Previously Amended) A golf training aid according to claim 1, in which the golf training aid including an indicator means for indicating the shoulder turn during a takeaway in the back swing.
- 3. (Previously Amended) A golf training aid according to claim 1, in which the shoulder position indicator means comprises an indicator arm.
- 4. (Previously Amended) A golf training aid according to claim 3, in which the indicator arm is an elongated member.
- 5. (Previously Amended) A golf training aid according to claim 3, in which the indicator arm comprises a resitient member.
- 6. (Previously Amended) A golf training aid according to claim 3, in which the indicator arm is arranged to be substantially perpendicular to the shoulder of the golfer.
- 7. (Previously Amended) A golf training aid according to claim 1 in which the shoulder position indicator means is adjustably secured to the support member.
- 8. (Amended) A golf training aid for indicating a shoulder turn during a golf swing comprising attachment means for attaching a support member adjacent to a shoulder of a golfer, the support member having shoulder position indicator means projecting outwardly therefrom and forwardly relative to the golfer, said golf training aid affixable to the shoulder, whereby said training aid remains visible to the golfer throughout use, the shoulder position indicator is adjustable and pivotally secured to the support member.

- 9. (Previously Amended) A golf training aid according to claim 1, comprising position retaining means to retain the position of the shoulder position indicator means relative to the support member.
- 10. (Amended) A golf training aid for indicating a shoulder turn during a golf swing comprising attachment means for attaching a support member adjacent to a shoulder of a golfer, the support member having shoulder position indicator means projecting outwardly therefrom and forwardly relative to the golfer, said golf training aid affixable to the shoulder whereby said training aid remains visible to the golfer throughout use, position retaining means to retain the position of the shoulder position indicator means relative to the support member, and locking means to lock the position of the shoulder position indicator means relative to the support member.
- 11. (Previously Amended) A golf training aid according to claim 1, in which the shoulder position indicator means is connected to the support member through a ball and socket joint.
- 12. (Previously Amended) A golf training aid according to claim 1, in which the shoulder position indicator means comprises an indicator member.
- 13. (Previously Amended) A golf training aid according to claim 1, in which the shoulder position indicator comprises a first indicator member and a second indicator member.
- 14. (Original) A golf training aid according to claim 13, in which the first indicator member is supported by the indicator arm.
- 15. (Previously Amended) A golf training aid according to claim 1, in which the second indicator member is located adjacent to the shoulder of the golfer.
- 16. (Previously Amended) A golf training aid according to claim 1, in which the support member comprises a pad.
- 17. (Original) A golf training aid according to claim 16, in which the pad comprises a flexible pad.
- 18. (Previously Amended) A golf training aid according to claim 16, in which the support member comprises a shoulder pad.
- 19. (Previously Amended) A golf training aid according to claim 1, in which the support member is located over the forward shoulder of the golfer relative to the swing.

- 20. (Previously Amended) A golf training aid according to claim 1, in which the attachment means comprises a harness mechanism.
- 21. (Previously Amended) A method of indicating the shoulder turn of a golfer during a golf swing comprising securing shoulder position indicator means to a shoulder of the golfer, in order for the shoulder position indicator means to project outwardly and forwardly relative to the shoulder of the golfer said golf training aid affixable to the shoulder, whereby said training aid remains visible throughout use.
- 22. (Original) A method according to claim 21, in which the member indicates the shoulder turn during the takeaway in the back swing.
- 23. (Previously Amended) A golf training aid according to claim 21, in which the method comprises moving the shoulder position indicator means to be substantially perpendicular to the shoulder of the golfer in at least a horizontal plane.
- 24. (Previously Amended) A golf training aid according to claim 21, in which the method comprises securing the shoulder position indicator means to a golfer through a harness mechanism.
 - 25. Canceled.
 - 26. Canceled.
- 27. (New) The golf training aid according to claim 1, wherein said shoulder position indicator means can be moved in at least two planes.
- 28. (New) The golf training aid according to claim 27, wherein said at least two planes are perpendicular to each other.



REMARKS

Claims 1-24, 27, and 28 are currently pending in the application. Claims 1 and 21 are in independent form.

Applicants wish to express their appreciation for the courtesies extended Applicant's representative, Amy E. Rinaldo, during a telephonic interview conducted on July 16, 2003.

The Office Action states that the drawings are objected to because they fail to show how the position indicator arm is attached to the shoulder pad.

The Office Action states that the proposed drawing changes will not be entered because they introduce new matter into the application. Each structure in the Figure is numbered and corresponds to the structural description in the specification originally filed. There is support throughout the specification for the new claims and support for these drawings is found on page 7, line 23, through page 10, line 12. In this section there is more fully described the locking means and the ball and socket joint of the present invention. Further, these figures depict more specifically the assembly shown in Figures 4 and 5. Additionally, the Office Action states that the limitation "ball and socket joint" in claim 11 is not clearly shown in the drawings. A new drawing that is fully supported by the specification as originally filed is included herewith, more specifically showing the ball and socket joint. Accordingly, since there is support in the specification for the drawings and the newly corrected drawings, reconsideration of the rejection is respectfully requested.

Claims 1-7, 9, and 12-24 stand rejected under 35 U.S.C § 103(a) as being unpatentable over the Cole patent in view of the Gentilly patent, the Wilkins patent, and the Brouwer patent. Reconsideration of the rejection under 35 U.S.C. §103(a) over the Cole patent in view of the Gentilly patent, the Wilkins patent, and the Brouwer patent, as applied to the claims, is also respectfully requested.

It is Hornbook Law that before two or more references may be combined to negative patentability of a claimed invention, at least one of the references must teach or suggest the benefits to be obtained by the combination. This statement of law was first set forth in the landmark case of Exparte McCullom, 204 O.G. 1346; 1914 C.D. 70. This decision was rendered by Assistant Commissioner Newton upon appeal from the Examiner-in-Chief and dealt with the matter of combination of references. Since then many courts have over the years affirmed this doctrine.

The applicable law was more recently restated by the Court of Appeals for the Federal Circuit in the case of <u>ACS Hospital Systems</u>, Inc. v. Montefiore Hospital, 732 F.2d 1572,1577, 221 U.S.P.Q. 929 (Fed. Cir. 1984). In this case the Court stated, on page 933, as follows:

"Obviousness cannot be established by combining the teachings of the prior art to produce the claimed invention, absent some teaching or suggestion supporting the combination. Under Section 103 teachings of references can be combined only if there is some suggestion or incentive to do so. The prior art of record fails to provide any such suggestion or incentive. Accordingly we hold that the court below erred as a matter of law in concluding that the claimed invention would have been obvious to one of ordinary skill in the art under section 103."

This Doctrine was even more recently reaffirmed by the CAFC in Ashland Oil. Inc. v. Delta Resins and Refractories, Inc., et al., 776 F.2d 281,297, 227 U.S.P.Q. 657,667. As stated, the District Court concluded:

"Obviousness, however, cannot be established by combining the teachings of the prior art to produce the claimed invention unless there was some teaching, suggestion, or incentive in this prior art which would have made such a combination appropriate."

The Court cited <u>ACS Hospital Systems, Inc.</u> in support of its ruling. This Doctrine was reaffirmed in <u>In re Deuel</u>, 34 USPQ2d 1210 (Fed. Cir. 1995).

The Office Action states that the Cole patent discloses a golf swing indicator comprising attachment means for attaching a support member adjacent to the shoulder of a golfer, wherein the support member has a shoulder position indicator means/arm projecting outwardly therefrom and forwardly relative to the golfer, and that the golf training aid is used for indicating the shoulder turn during the takeaway in the back swing. Additionally, the Cole patent discloses an indicator arm that is an elongated member and is substantially perpendicular to the shoulder of the golfer. The indicator arm includes a resilient member and is a device made of a resilient and flexible plastic sheet. The shoulder position indicator means is adjustably secured to the support member using Velcro. Also provided by the Cole patent are position retaining means, an indicator member, a pad, a support member that is located over the forward shoulder of the golfer relative to the swing, attachment means including a harness mechanism, a shoulder position indicator means including a first indicator member that is supported by the indicator arm, and the second indicator member located adjacent to the shoulder of the golfer.

It is undisputed that the Cole patent describes a device indicating "a proper or improper arm orientation" as stated in columns 3 and 4 of the Cole patent. However, one's arms move independently from one's shoulders and therefore the device of the Cole-patent does not give an indication of shoulder turn, but merely indicates the position of the arms. The device of the Cole patent is located on the upper arm or leg of a golfer and therefore the movement of the shoulder cannot be determined since it is the movement of the golfer's arms or legs that are being indicated. The cited prior art does not disclose a device that remains visible to the golfer and that fits on the shoulder of the golfer for indicating proper golf swing.

The present invention solves a problem regarding the ability to provide accurate information of the shoulder turn without giving any indication of arm movement. As described on page 6, lines 29-31, of the present invention, "A typical back swing associated with many mid-to-high handicap golfers may comprise lifting only the arms."

The device of the Cole patent will not reveal this problem since the indicator of the Cole patent moves correctly as a result of arm movement, thus indicating that this swing is correct, but the golfer may have an incorrect shoulder turn or no shoulder turn at all.

Additionally, the present invention also indicates the essential transfer weight onto the back foot, which is required for a correct golf swing. Referring specifically to the device of the Cole patent, the disclosed device relies on the relative movement between the indicator and the face of the golfer. See, for example, column 2, which discloses that the device of the Cole patent relies on the indicator being obscured from the vision of the golfer. If one were to take the device of the Cole patent and attempt to use it to indicate the shoulder turn of a golfer, the indicator would need to be positioned at a location that would go out of the vision of the golfer in order to indicate a correct swing. Therefore, one of skill in the art would not place the indicator of the Cole patent projecting forward from the shoulder, since this placement would always remain in the vision of the golfer and would not indicate a correct swing by going out of the vision of the golfer in accordance with the function of the device of the Cole patent. contradistinction, the device of the present invention as described at page 11, lines 7-13 and 25-29, remains within the golfer's vision and thereby provides more accurate feedback. Additionally, the present invention provides a different method of indicating a correct swing while always remaining visible to the golfer, as opposed to the device of the Cole patent that indicates a proper swing by moving out of the vision of the golfer. By always remaining visible, the feedback is more accurate since once out of the vision of the golfer, the golfer is not made aware of by how much or to what degree the movement is correct or incorrect.

The device of the Cole patent includes a body formed generally as a portion of a cylinder. In order for the device of the Cole patent to fit on the shoulder, it would need to be turned 90° in order for the strap to fasten under the armpit and around the back of the shoulder. In this position, the cylindrical shaped bands could not conform to the shape of the shoulder and would project from the shoulder. This would provide a very insecure attachment to the shoulder and the edges of the cylindrical body would tend to

dig into the shoulder. Additionally, the indicator would tend to move relative to the shoulder and would therefore not function so as to reflect the shoulder movement.

The Office Action states that the Gentilly patent, the Wilkins patent, and the Brouwer patent all disclose devices that are attached to a shoulder for showing a golfer how to maintain a proper swing. However, there is no disclosure in any of the cited prior art patents for providing a device that is placed on the shoulder of a golfer such that the device remains in visible view of the golfer throughout use. Instead the prior art patents disclosure providing pads or other devices that either emit a noise or are felt by the golfer, but there is no visual contact made with the device of the prior art patents.

Since neither the Cole patent nor the Gentilly patent, the Wilkins patent, and the Brouwer patent discloses the visible golf aid device of the presently claimed invention, the presently pending independent claims are patenable over the cited prior art patents and reconsideration of the rejection is respectfully requested.

Claims 8 and 10 stand rejected under 35 U.S.C. §103(a) as being unpatentable over the Cole patent in view of the Lazier patent. Reconsideration of the rejection under 35 U.S.C. §103(a) over the Cole patent in view of the Lazier patent, as applied to the claims, is also respectfully requested.

As stated above, the Cole patent does not disclose a training aid for use in indicating shoulder turn. Instead, the Cole patent discloses a device for use in indicating proper or improper arm swing. Therefore, the Cole patent neither discloses nor suggests the aid of the presently pending claims.

With regard to the Lazier patent, the Lazier patent relates to a torso and back rotation indicator that projects from the golfer's back and extends laterally to the golfer's side. As can be seen in Figures 6A-F of the Lazier patent, the indicator is not always visible since it does not project forwardly from the golfer. The main advantage of the present invention is that it projects forwardly from the shoulder of the golfer and thereby

indicates the shoulder turn by always remaining visible to the golfer. The cited prior art reference does not disclose a device that remains visible to the golfer and that fits on the shoulder of the golfer for indicating proper golf swing. Since neither the Lazier nor the Cole patent, alone or in combination, teach or suggest the golfer training aid of the present invention, the claims are patentable over the cited prior art references and reconsideration of the rejection is respectfully requested.

Claim 11 stands rejected under 35 U.S.C. §103(a) as being unpatentable over the Cole patent in view of the Stawicki patent. Reconsideration of the rejection under 35 U.S.C. §103(a) over the Cole patent in view of the Stawicki patent, as applied to the claims, is also respectfully requested.

As stated above, the Cole patent does not disclose a training aid for use in indicating shoulder turn. Instead, the Cole patent discloses a device for use in indicating proper or improper arm swing. Therefore, the Cole patent neither discloses nor suggests the aid of the presently pending claims.

With regard to the Stawicki patent, the Stawicki patent provides a device to permit a golfer to achieve a proper golf swing by avoiding undesired bending in the front elbow of the golfer. This therefore does not relate to the shoulder turn indicator at all. The cited prior does not disclose a device that remains visible to the golfer and that fits on the shoulder of the golfer for indicating proper golf swing. Accordingly, neither the Cole nor Stawicki patents, either alone or in combination, teach or suggest the golf training aid of the present invention. Therefore, the presently pending claims are patentable over the cited prior art references and reconsideration of the rejection is respectfully requested.

The Examiner, during a telephonic interview, requested that additional comments with regard to UK Patent 1322274, to Oppenheimer be provided with regard to the patentability of the presently pending claims. The device of the Oppenheimer patent is a generic swing practicing aid that can be utilized for numerous sports including tennis,

baseball, and golf. The device of the Oppenheimer patent is a shaft that is centered on the golfer's body. More specifically, the club is directly affixed to the body via the shaft 16. The device provides constraint of the golfer and club throughout the swing. The constraint is obtained because the distance between points 28 and 30 in the figures is always maintained. However, the affixed distance between the attachment points 26 and 30 of the device of the Oppenheimer patent will not prevent a golfer from picking up the club too steeply at the start of the swing and maintaining the club in this manner throughout the back swing. Thus, the device of the Oppenheimer patent does not correct the problems that can occur during a golf swing.

In contradistinction, the presently claimed invention is a training aid that includes attachment means for affixing the device on the left shoulder of the individual that provides no constraint whatsoever to either the golf swing or the golf club. The device of the presently pending independent claims helps to develop the proper shoulder turn and sets the club in a constant repeatable position at the top of the back swing. The device of the presently pending independent claims does not require the club to be offset to avoid interference with chin at the top of the back swing. The claimed device is designed so the angle of attack of the swing at the top of the back swing is not too steep, therefore the indicator arm does not touch or interfere with the chin. It is only when the swing is too steep in the back swing and/or the golfer swings beyond the three-quarter position at the top of the back swing that the indicator arm of the presently claimed device interferes with the chin. These events can be avoided by maintaining the correct golf swing. The device of the Oppenheimer patent provides a device that physically holds a golfer's body in position such that the golfer cannot move. In contradistinction, the presently claimed device provides a device that shows the golfer the correct method for swinging a club. The Oppenheimer patent does not disclose nor suggest a device that functions or is identical to that of the presently pending independent claims in that the presently pending independent claims do not require the shaft be centered on the body such that the device constrains the golf swing or golf club. Therefore the presently pending independent claims are patentable over the cited prior art.



AUG 1 9 2003

GROUP 3700

USSN 09/967,109 Attomey Docket No. 3120.00026

The remaining dependent claims not specifically discussed herein are ultimately References as applied against these dependent upon the independent claims. dependent claims do not make up for the deficiencies of those references as discussed above. The prior art references do not disclose the characterizing features of the independent claims discussed above. Hence, it is respectfully submitted that all of the pending claims are patentable over the prior art.

In view of the present amendment and foregoing remarks, reconsideration of the rejections and advancement of the case to issue are respectfully requested.

The Commissioner is authorized to charge any fee or credit any overpayment in connection with this communication to our Deposit Account No. 11-1449.

Respectfully submitted,

KOHN & ASSOCIATES, PLLC

Amy Ę. Rinaldo) Registration No. 45,791 30500 Northwestern Hwy Suite 410 Farmington Hills, MI 48334

(248) 539-5050

Date: August 18, 2003

CERTIFICATE OF MAILING/TRANSMISSION

I hereby certify that this correspondence is being transmitted by facsimile to Examiner Legesse (703) Patent and Tradeshark Office on August 18, 2003.

Angel Webb

DEFICIAL